



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED


SPECIFICATIONS

ELECTRICAL:

FREQUENCY: 0-6 GHZ
 VSWR @ 6 GHZ: 1.2:1 MAX
 POWER (AVG) 2 WATTS @ 25 DEG C
 DERATES LINEARLY TO 1W @ 125 DEG C
 POWER (PEAK) 1KW/50 MICRO-S
 IMPEDANCE: 50 OHMS
 OP. TEMP RANGE: -55C- +125C

MECHANICAL:

MATERIAL BODY: BRASS w TRI-METAL PLATING
 CENTER CONTACT: GOLD PLATED PER MIL-G-45204
 INTERFACE: MIL-STD-348A



DIMENSIONS IN INCHES 3 PLCS +/- .003 2 PLCS +/- .01 FRACTIONS +/- 1/64 ANGLES +/- 1/2 DEG UNLESS OTHERWISE SPECIFIED	DRAWN D. HEFT	DATE 3/7/11	WEINSCHEL ASSOCIATES 19212 ORBIT DRIVE GAITHERSBURG, MD 20879			
	CHECKED					
	MAT'L: SEE NOTES	QA		TERMINATION, TNC(M), WITH CHAIN 2W, 6 GHz, WA1455/6-6C		
	FINISH: SEE NOTES	MFG				
	APPROVED		SIZE B	FSCM NO. 0H3E9	DWG NO. WA1455/6-6C	REV
			SCALE NONE		SHEET 1 OF 1	

